

|    | Type | Hits   | Search Text                                                                                                                                               | DBs                                         |
|----|------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 1  | BRS  | 122940 | (decorat\$4 or illuminat\$5) and display                                                                                                                  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2  | BRS  | 2131   | ((decorat\$4 or illuminat\$5) and display) and ((frame or skeleton) with (wires or rods))                                                                 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3  | BRS  | 1      | ((decorat\$4 or illuminat\$5) and display) and (((frame or skeleton) with (wires or rods)) with refract\$4)                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4  | BRS  | 127    | ((frame or skeleton) with (wires or rods)) with refract\$4)                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5  | BRS  | 28     | ((frame or skeleton) with (wires or rods)) with refract\$4) and (light or bulb)                                                                           | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 6  | BRS  | 150555 | ((frame or skeleton) with (wires or rods))                                                                                                                | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 7  | BRS  | 1376   | ((frame or skeleton) with (wires or rods)) and decorat\$4 and light\$3                                                                                    | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 8  | BRS  | 86     | ((frame or skeleton) with (wires or rods)) and decorat\$4 and light\$3 and refract\$4                                                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 9  | BRS  | 348    | (wires or rods) with (refract\$4 near (layer or coat\$4))                                                                                                 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 10 | BRS  | 6      | ((decorat\$4 or illuminat\$5) and display) and (wires or rods) with (refract\$4 near (layer or coat\$4))                                                  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 11 | BRS  | 10     | ("4422719"   "4471412"   "4883338"   "5027259"   "5168540"   "5692088"   "5982969"   "6091878"   "6301418"   "6366719").PN.                               | USPAT                                       |
| 12 | BRS  | 0      | 6519401.URPN.                                                                                                                                             | USPAT                                       |
| 13 | BRS  | 0      | 6519401.URPN.                                                                                                                                             | USPAT                                       |
| 14 | BRS  | 19380  | (transparent and refract\$4) with (layer or coat\$4)                                                                                                      | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 15 | BRS  | 3835   | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3)                                                                             | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 16 | BRS  | 923    | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton)                                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 17 | BRS  | 910    | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton) and (light or bulb or illuminat\$3)                 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS  | 4      | ((transparent and refract\$4) with (layer or coat\$4)) with (rod\$3 or wir\$3) and (frame or skeleton) and (light or bulb or illuminat\$3) and decorat\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 19 | BRS  | 60     | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton) and (light or bulb or illuminat\$3) and decorat\$4  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits | Search Text                                                                                                                                 | DBs                                         |
|----|------|------|---------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 20 | BRS  | 910  | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton) and (light or bulb or illuminat\$3)   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 21 | BRS  | 3659 | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (light or bulb or illuminat\$3)                           | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS  | 8    | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (light or bulb or illuminat\$3) and 362/806,807,808.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 23 | BRS  | 8    | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (light or bulb or illuminat\$3) and 362/806,807,808.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS  | 8    | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and 362/806,807,808.ccls.                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 25 | BRS  | 0    | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and 362/123,124,252.ccls.                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS  | 3    | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and 362/249,227.ccls.                                         | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS  | 156  | ((transparent and refract\$4) with (layer or coat\$4)) with (rod\$3 or wir\$3)                                                              | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS  | 126  | ((transparent and refract\$4) with (layer or coat\$4)) with (rod\$3 or wir\$3) and (light or bulb or illuminat\$4)                          | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 29 | BRS  | 0    | ((transparent and refract\$4) with (layer or coat\$4)) with (opaque with (rod\$3 or wir\$3)) and (light or bulb or illuminat\$4)            | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 30 | BRS  | 1    | ((transparent and refract\$4) with (layer or coat\$4)) with (opaque with (rod\$3 or wir\$3))                                                | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS  | 17   | ((transparent and refract\$4) with (layer or coat\$4)) with (metal\$4 with (rod\$3 or wir\$3))                                              | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 32 | BRS  | 1232 | 362/806.ccls.                                                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 33 | BRS  | 75   | 362/809.ccls.                                                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS  | 168  | 362/808.ccls.                                                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS  | 84   | 362/807.ccls.                                                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS  | 595  | 362/252.ccls.                                                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS  | 0    | (refract\$4 near (coat\$4 or layer)) and 362/252.ccls.                                                                                      | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits  | Search Text                                                                                                                 | DBs                                         |
|----|------|-------|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 38 | BRS  | 4     | ((refract\$4 or transparent) near (coat\$4 or layer)) and 362/252.ccls.                                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 39 | BRS  | 0     | ((refract\$4 or transparent) near (coat\$4 or layer)) and 362/124.ccls.                                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS  | 1     | ((refract\$4 or transparent) near (coat\$4 or layer)) and 362/123.ccls.                                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS  | 0     | ((refract\$4) near (coat\$4 or layer)) and 362/123.ccls.                                                                    | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS  | 0     | ((refract\$4) near (coat\$4 or layer)) and 362/124.ccls.                                                                    | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 43 | BRS  | 0     | ((refract\$4) near (coat\$4 or layer)) and 362/249.ccls.                                                                    | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS  | 13    | ((refract\$4 or transparent) near (coat\$4 or layer)) and 362/249.ccls.                                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS  | 0     | 20030185007.URPN.                                                                                                           | USPAT                                       |
| 46 | BRS  | 0     | 20030185007.URPN.                                                                                                           | USPAT                                       |
| 47 | BRS  | 3     | ("4177503"   "4607317"   "4812956").PN.                                                                                     | USPAT                                       |
| 48 | BRS  | 5     | 6217194.URPN.                                                                                                               | USPAT                                       |
| 49 | BRS  | 2     | ((refract\$4 or transparent) near (coat\$4 or layer)) and 428/7.ccls.                                                       | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 50 | BRS  | 0     | ((refract\$4 or transparent) near (coat\$4 or layer)) and 428/8.ccls.                                                       | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 51 | BRS  | 121   | 362/252.ccls. and (coat\$4 or layer)                                                                                        | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 52 | BRS  | 56    | 362/252.ccls. and (coat\$4 or layer) and (transparent or refract\$4)                                                        | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 53 | IS&R | 2     | ("6217194").PN.                                                                                                             | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 54 | BRS  | 86305 | (refract\$4) with (layer or coat\$4)                                                                                        | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 55 | BRS  | 333   | ((refract\$4) with (layer or coat\$4)) with ((lamp or light or bulb) with support)                                          | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS  | 362   | ((refract\$4) with (layer or coat\$4)) with ((lamp or light or bulb) with (support or frame))                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 57 | BRS  | 5     | ((refract\$4) with (layer or coat\$4)) with ((lamp or light or bulb) with (support or frame)) and decorat\$4                | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 58 | BRS  | 10    | ("3087828"   "3087829"   "4264648"   "4268541"   "4344987"   "4370270"   "4373963"   "4415650"   "4705739"   "4880472").PN. | USPAT                                       |
| 59 | BRS  | 12    | 5026429.URPN.                                                                                                               | USPAT                                       |
| 60 | BRS  | 5588  | (lamp or light or bulb) with string                                                                                         | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 61 | BRS  | 0     | ((lamp or light or bulb) with string) and ((support or frame) with (refract\$4 adj (coat\$4 or layer)))                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits   | Search Text                                                                                                                                 | DBs                                         |
|----|------|--------|---------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 62 | BRS  | 0      | ((lamp or light or bulb) with string) and ((support or frame) same (refract\$4 adj (coat\$4 or layer)))                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS  | 417    | ((support or frame) same (refract\$4 adj (coat\$4 or layer)))                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS  | 252    | ((support or frame) with (refract\$4 adj (coat\$4 or layer)))                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS  | 24     | ((support or frame) with (refract\$4 adj (coat\$4 or layer))) and illuminat\$4                                                              | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 66 | BRS  | 17     | 4000437.URPN.                                                                                                                               | USPAT                                       |
| 67 | BRS  | 17     | 4000437.URPN.                                                                                                                               | USPAT                                       |
| 68 | BRS  | 150627 | ((frame or skeleton) with (wires or rods))                                                                                                  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS  | 412    | ( ((frame or skeleton) with (wires or rods))) and ((transparent or refract\$4) near (coat\$4 or layer))                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 70 | BRS  | 292    | ( ((frame or skeleton) with (wires or rods))) and ((transparent or refract\$4) near (coat\$4 or layer)) and (light or bulb ir illuminat\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 71 | BRS  | 7      | ((frame or skeleton) with (wires or rods)) with ((transparent or refract\$4) near (coat\$4 or layer)) and (light or bulb ir illuminat\$4)   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 72 | BRS  | 595    | 362/252.ccls.                                                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 73 | BRS  | 1020   | ((frame or support) near (rod or wire)) with coat\$4                                                                                        | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 74 | BRS  | 1      | ((frame or support) near (rod or wire)) with (refract\$4 near coat\$4)                                                                      | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 75 | BRS  | 6      | ((frame or support) near (rod or wire)) with (transparent near coat\$4)                                                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 76 | BRS  | 918    | 362/249.ccls. not 362/252.ccls.                                                                                                             | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 77 | BRS  | 0      | ((frame or support) near (rod or wire)) with (transparent near coat\$4)) and (362/249.ccls. not 362/252.ccls. )                             | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 78 | BRS  | 0      | ((frame or support) near (rod or wire)) with coat\$4) and (362/249.ccls. not 362/252.ccls. )                                                | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 79 | BRS  | 335    | ((frame or support) near (rod or wire)) with coat\$4) and (light or illuminat\$4 or bulb\$4)                                                | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 80 | BRS  | 173    | 362/252.ccls. and (refract\$4 or transparent)                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 81 | BRS  | 141    | 362/252.ccls. and (refract\$4 or transparent) and (support or frame or wire or rod)                                                         | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

|    | Type | Hits    | Search Text                                                                                                                                                                                                   | DBs                                         |
|----|------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| 82 | BRS  | 126     | 362/252.ccls. and (refract\$4 or transparent) and (support or frame or wire or rod) and (decorat\$4 or illuminat\$4)                                                                                          | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 83 | IS&R | 2       | ("5850927").PN.                                                                                                                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 84 | IS&R | 3       | ((("5850927") or ("6394282") or ("6478164")).PN.                                                                                                                                                              | USPAT                                       |
| 85 | BRS  | 1019    | 211/181.1.ccls.                                                                                                                                                                                               | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 86 | BRS  | 74      | 211/181.1.ccls. and coat\$4                                                                                                                                                                                   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 87 | BRS  | 0       | 211/181.1.ccls. and ((transparent or refract\$4) near coat\$4)                                                                                                                                                | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 88 | BRS  | 0       | 211/1.51.ccls. and ((transparent or refract\$4) near coat\$4)                                                                                                                                                 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 89 | BRS  | 0       | 211/26.ccls. and ((transparent or refract\$4) near coat\$4)                                                                                                                                                   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 90 | BRS  | 79      | ((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton) and decorat\$4                                                                                          | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 91 | BRS  | 3874    | 362/121,122,123,124,227,249,252,253.ccls.                                                                                                                                                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 92 | BRS  | 2811592 | (light or lamp or (light near bulb))                                                                                                                                                                          | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 93 | BRS  | 2376    | 362/121,122,123,124,227,249,252,253.ccls. and (frame or skeleton or sculpture or form\$7)                                                                                                                     | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 94 | BRS  | 2334    | ((light or lamp or (light near bulb))) and (362/121,122,123,124,227,249,252,253.ccls. and (frame or skeleton or sculpture or form\$7))                                                                        | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 95 | BRS  | 1346    | ((((light or lamp or (light near bulb))) and (362/121,122,123,124,227,249,252,253.ccls. and (frame or skeleton or sculpture or form\$7))) and (rods or wires or (structural near elements)))                  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 96 | BRS  | 78      | (((((light or lamp or (light near bulb))) and (362/121,122,123,124,227,249,252,253.ccls. and (frame or skeleton or sculpture or form\$7))) and (rods or wires or (structural near elements)))) and refract\$6 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 97 | BRS  | 16      | (refractive near layer) with fus\$3                                                                                                                                                                           | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 98 | BRS  | 374     | fused near refract\$4                                                                                                                                                                                         | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 99 | BRS  | 0       | fused near transparent near refract\$4                                                                                                                                                                        | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

|     | Type | Hits | Search Text                                              | DBs                                         |
|-----|------|------|----------------------------------------------------------|---------------------------------------------|
| 100 | BRS  | 0    | (fused with transparent with refract\$4 ) and decorat\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 101 | BRS  | 29   | fused with transparent with refract\$4 with layer        | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 102 | BRS  | 129  | fused with transparent with refract\$4                   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 103 | BRS  | 0    | (refractive near thread\$4) with fus\$3                  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 104 | BRS  | 0    | (refractive with thread\$4) with fus\$3                  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 105 | BRS  | 7    | (refract\$4 with thread\$4) with fus\$3                  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 106 | BRS  | 661  | (refract\$4 with fiber\$4) with fus\$3                   | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 107 | BRS  | 11   | ((refract\$4 with fiber\$4) with fus\$3) and decorat\$4  | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |